

SUS304 板材 2B : JIS G 4305

単位: kg/枚

寸法 板厚 (mm)	1000×2000	1000×3000	1000×4000	1219×2438	1219×3048	1219×4000	1524×3048	1524×4000	1524×6096	2000×6100
0.3	4.76									
0.4	● 6.34									
0.5	● 7.93			11.8						
0.6	● 9.52			14.1						
0.7	● 11.1			16.5						
0.8	● ● 12.7			● ● 18.9			29.5			
1.0	● ● 15.9	● ● 23.8	● 31.7	● ● 23.6			● ● 36.8	48.3		
1.2	● ● 19.0	● 28.5	● 38.1	● ● 28.3	● 35.4	● 46.4	● 44.2	58.0	88.4	
1.5	● ● 23.8	● 35.7	● 47.6	● ● 35.4	● ● 44.2	● ● 58.0	● ● 55.3	● 72.5	111	
2.0	● ● 31.7		● 63.4	● ● 47.1	● ● 58.9	● 77.3	● ● 73.7	● 96.7	147	193
2.5	39.6			58.9	73.6	● 96.6	92.1	121	184	
3.0	● 47.6		● 95.2	● 70.7			● 111	145	221	290
3.5	55.5									
4.0	63.4		127	94.3		155	147	193	295	
4.5	71.4		143	106		174	166	218	331	
5.0	79.3		159	118		193	184	242	368	
6.0	95.2		190	141		232	221	290	442	

注) ●:片面 #400SPV ●:HL-SPV 在庫品有り 他に、#600、#700、ウロコ研磨、パイブレーション研磨等も対応可能です。

鋼板類


条鋼類

パイプ類・金網


参考資料

高合金・高機能材

チタン



2B



#400



NO.1



HL(ヘアライン)

SUS304 板材 No.1 : JIS G 4304

単位: kg/枚

寸法 板厚 (mm)	1000 × 2000	1000 × 4020	1219 × 2438	1219 × 4020	1524 × 3048	1524 × 4020	1524 × 6096	2050 × 4100	2050 × 6100	2438 × 6100	3050 × 6100
3.0	47.6	95.6	70.7	117	111	146	221				
3.5	55.5										
4.0	63.4	128	94.3	155	147	194	295	267	397	472	
4.5	71.4		106		166		331				
5.0	79.3	159	118	194	184	243	368	333	496	590	
6.0	95.2	191	141	233	221	291	442	400	595	708	885
7.0	111		165		258		516				
8.0	127	255	189	311	295	389	589	533	793	943	1180
9.0	143	287	212	350	332	437	663	600	892	1061	1328
10.0	159		236		368		737	667	992	1179	1475
12.0	190		283		442		884	800	1190	1415	1770
14.0	222				516			933	1388	1651	2065
15.0	238				553			1000	1488	1770	2214
16.0	254		377		589		1179	1067	1587	1887	2361
18.0	285				663			1199	1784	2122	2655
19.0	301		448		700			1267	1885	2241	2804
20.0	317				737			1333	1983	2359	2951
22.0	349				811			1467	2182	2595	3247
25.0	396				921			1666	2478	2948	3688
28.0					1031			1866	2776	3302	4130
30.0					1105			2000	2975	3538	4426
32.0					1179			2133	3174	3774	4722
35.0					1289			2333	3471	4128	5165
38.0					1400			2532	3768	4481	5606
40.0					1473			2666	3967	4717	5902
42.0								2800	4165		6197
45.0					1657			2999	4462	5306	6638
50.0								3333	4958	5897	7377
55.0								3666	5455	6487	
60.0								3999	5950	7076	
65.0								4332	6445	7665	
70.0								4666	6942		
75.0								4999	7619 ^{※1}		
80.0								5332	8127 ^{※2}		
85.0								5665	8634 ^{※3}		
90.0								5999	8243 ^{※4}		
95.0								6332	8544 ^{※5}		
100.0								6665	8279 ^{※6}		
110.0								7332	10908		
120.0								7998	11900		
130.0								8666			
140.0								9330			
150.0								10002			

※1、※2、※3:2100×6100mm ※4:2100×5500mm ※5:2100×5400mm ※6:1800×5800mm

鋼板類

条鋼類

パイプ類・金網

参考資料

高合金・高機能材

チタン

SUS304L 板材 2B : JIS G 4305 NO.1 : JIS G 4304

単位 : kg/枚

寸法 板厚 (mm)	1000 × 2000	1219 × 2438	1219 × 3048	1219 × 4000	1524 × 3048	1524 × 4000	1524 × 6096	2050 × 4100	2050 × 6100	2438 × 6100	3050 × 6100
0.4	2B 6.34										
0.5	2B 7.93										
0.6	2B 9.52	2B 14.1									
0.8	2B 12.7	2B 18.9									
1.0	2B 15.9	2B 23.6									
1.2	2B 19.0	2B 28.3	2B 35.4	2B 46.4							
1.5	2B 23.8	2B 35.4	2B 44.2	2B 58.0	2B 55.3	2B 72.5	2B 111				
2.0	2B 31.7	2B 47.1			2B 73.7	2B 96.7	2B 147				
2.5	2B 39.6	2B 58.9			2B 92.1	2B 121	2B 184				
3.0	2B No.1 47.6	2B No.1 70.7			2B No.1 111	2B No.1 145	2B No.1 221				
4.0	2B No.1 63.4	2B No.1 94.3			2B No.1 147	2B No.1 193	2B No.1 295	No.1 267	No.1 397	No.1 472	No.1 590
5.0	2B No.1 79.3	2B No.1 118			2B No.1 184	2B No.1 242	2B No.1 368	No.1 333	No.1 496	No.1 590	No.1 738
6.0	2B No.1 95.2	2B No.1 141			2B No.1 221	2B No.1 290	2B No.1 442	No.1 400	No.1 595	No.1 708	No.1 885
8.0	No.1 127	No.1 189			No.1 295	No.1 387	No.1 589	No.1 533	No.1 793	No.1 943	No.1 1180
9.0	No.1 143	No.1 212			No.1 332	No.1 435	No.1 663	No.1 600	No.1 892	No.1 1061	No.1 1328
10.0	No.1 159	No.1 236			No.1 368	No.1 483	No.1 737	No.1 667	No.1 992	No.1 1179	No.1 1475
12.0	No.1 190	No.1 283			No.1 442	No.1 580	No.1 884	No.1 800	No.1 1190	No.1 1415	No.1 1770
14.0					No.1 516			No.1 933	No.1 1388	No.1 1651	No.1 2065
15.0					No.1 553			No.1 1000	No.1 1488	No.1 1770	No.1 2214
16.0	No.1 254	No.1 377			No.1 589			No.1 1067	No.1 1587	No.1 1887	No.1 2361
18.0					No.1 663			No.1 1199	No.1 1784	No.1 2122	No.1 2655
19.0					No.1 700			No.1 1267	No.1 1885	No.1 2241	No.1 2804
20.0					No.1 737			No.1 1333	No.1 1983	No.1 2359	No.1 2951
22.0					No.1 811			No.1 1467	No.1 2182	No.1 2595	No.1 3247
25.0					No.1 921			No.1 1666	No.1 2478	No.1 2948	No.1 3688
28.0					No.1 1031			No.1 1866	No.1 2776	No.1 3302	No.1 4130
30.0					No.1 1105			No.1 2000	No.1 2975	No.1 3538	No.1 4426
32.0					No.1 1179			No.1 2133	No.1 3174	No.1 3774	No.1 4722
35.0								No.1 2333	No.1 3471	No.1 4128	No.1 5165
38.0								No.1 2532	No.1 3768	No.1 4481	
40.0								No.1 2666	No.1 3967	No.1 4717	
45.0								No.1 2999	No.1 4462		
50.0								No.1 3333	No.1 4958		
55.0								No.1 3666			
60.0								No.1 3999			
65.0								No.1 4332			
70.0								No.1 4666			
75.0								No.1 4999			
80.0								No.1 5332			
85.0											
90.0											
95.0											
100.0											
110.0											
120.0											

鋼板類

条鋼類

パイプ類・金網

参考資料

高合金・高機能材

チタン

SUS316 板材 2B : JIS G 4305 NO.1 : JIS G 4304

単位: kg/枚

寸法 (mm)	1000 × 2000	1219 × 2438	1219 × 3048	1219 × 4000	1219 × 6096	1524 × 3048	1524 × 4000	1524 × 6096	2050 × 4100	2100 × 6100	2438 × 6100	3050 × 6100
0.5	2B 7.98											
0.6	2B 9.58	2B 14.2										
0.8	2B 12.8	2B 19.0	2B 23.7			2B 29.7						
1.0	2B 16.0	2B 23.7				2B 37.1						
1.2	2B 19.2	2B 28.5	2B 35.6	2B 46.7		2B 44.5						
1.5	2B 23.9	2B 35.6	2B 44.5	2B 58.4		2B 55.6	2B 73.0	2B 111				
2.0	2B 31.9	2B 47.4				2B 74.1	2B 97.3	2B 148				
2.5	2B 39.9	2B 59.3				2B 92.7	2B 122	2B 185				
3.0	2B No.1 47.9	2B No.1 71.1			No.1 178	2B No.1 111	2B No.1 146	2B No.1 222				
4.0	2B No.1 63.8	2B No.1 94.9				2B No.1 148	2B No.1 195	2B No.1 297	No.1 268			
5.0	2B No.1 79.8	2B No.1 119				2B No.1 185	2B No.1 243	2B No.1 371	No.1 335		No.1 593	
6.0	2B No.1 95.8	2B No.1 142				2B No.1 222	2B No.1 292	2B No.1 445	No.1 402		No.1 712	No.1 891
7.0						No.1 259	No.1 341	No.1 519				
8.0	No.1 128	No.1 190				No.1 297	No.1 389	No.1 593	No.1 537		No.1 949	No.1 1188
9.0	No.1 144	No.1 213				No.1 334	No.1 438	No.1 667	No.1 604		No.1 1068	No.1 1336
10.0	No.1 160	No.1 237				No.1 371	No.1 486	No.1 741	No.1 671	No.1 1022	No.1 1187	No.1 1485
12.0	No.1 192	No.1 285				No.1 445	No.1 584	No.1 890	No.1 805	No.1 1227	No.1 1424	No.1 1782
14.0						No.1 519			No.1 939	No.1 1431	No.1 1661	No.1 2078
15.0						No.1 556			No.1 1006	No.1 1533	No.1 1780	No.1 2227
16.0						No.1 593			No.1 1073	No.1 1636	No.1 1899	No.1 2376
18.0						No.1 667			No.1 1207	No.1 1840	No.1 2136	No.1 2672
19.0						No.1 704			No.1 1274	No.1 1942	No.1 2255	No.1 2821
20.0						No.1 741			No.1 1341	No.1 2044	No.1 2374	No.1 2969
22.0						No.1 816			No.1 1476	No.1 2249	No.1 2611	No.1 3267
25.0						No.1 927			No.1 1677	No.1 2556	No.1 2967	No.1 3712
28.0						No.1 1038			No.1 1878	No.1 2862	No.1 3322	No.1 4156
30.0						No.1 1112			No.1 2012	No.1 3067	No.1 3560	No.1 4454
32.0						No.1 1186			No.1 2147	No.1 3272	No.1 3798	No.1 4752
35.0									No.1 2348	No.1 3578	No.1 4154	No.1 5196
38.0									No.1 2548	No.1 3884	No.1 4509	No.1 5641
40.0						No.1 1483			No.1 2683	No.1 4089	No.1 4747	No.1 5939
45.0									No.1 3018	No.1 4491 ^{※1} 4374 ^{※2}		
50.0						No.1 1853			No.1 3354	No.1 4989 ^{※3} 4190 ^{※4}		
55.0						No.1 2039			No.1 3689	No.1 4424 ^{※5}		
60.0									No.1 4024	No.1 4118 ^{※6}		
65.0									No.1 4360	No.1 4150 ^{※7}		
70.0						No.1 2595			No.1 4695	No.1 7156		
75.0									No.1 5030	No.1 7667		
80.0									No.1 5366	No.1 8178		
85.0									No.1 8689			

※1:2050×6100mm ※2:2100×5800mm ※3:2050×6100mm ※4:2100×5000mm
 ※5:2100×4800mm ※6:2000×4300mm ※7:2000×4000mm

SUS316L 板材 2B : JIS G 4305 NO.1 : JIS G 4304

単位: kg/枚

寸法 (mm)	1000 × 2000	1219 × 2438	1219 × 3048	1219 × 4000	1219 × 6096	1524 × 3048	1524 × 4000	1524 × 6096	2050 × 4100	2100 × 6100	2438 × 6100	3050 × 6100
0.3	2B 4.79											
0.4	2B 6.38											
0.5	2B 7.98											
0.6	2B 9.58	2B 14.2										
0.8	2B 12.8	2B 19.0				2B 29.7						
1.0	2B 16.0	2B 23.7				2B 37.1						
1.2	2B 19.2	2B 28.5	2B 35.6	2B 46.7		2B 44.5						
1.5	2B 23.9	2B 35.6	2B 44.5	2B 58.4		2B 55.6	2B 73.0	2B 111				
2.0	2B 31.9	2B 47.4		2B 77.8		2B 74.1	2B 97.3	2B 148				
2.5	2B 39.9	2B 59.3				2B 92.7	2B 122	2B 185				
3.0	2B No.1 47.9	2B No.1 71.1		2B 117	No.1 178	2B No.1 111	2B No.1 146	2B No.1 222				
4.0	2B No.1 63.8	2B No.1 94.9				2B No.1 148	2B No.1 195	2B No.1 297	No.1 268			
5.0	2B No.1 79.8	2B No.1 119				2B No.1 185	2B No.1 243	2B No.1 371	No.1 335		No.1 593	
6.0	2B No.1 95.8	2B No.1 142				2B No.1 222	2B No.1 292	2B No.1 445	No.1 402		No.1 712	No.1 891
7.0						No.1 259	No.1 341	No.1 519				
8.0	No.1 128	No.1 190				No.1 297	No.1 389	No.1 593	No.1 537		No.1 949	No.1 1188
9.0	No.1 144	No.1 213				No.1 334	No.1 438	No.1 667	No.1 604		No.1 1068	No.1 1336
10.0	No.1 160	No.1 237				No.1 371	No.1 486	No.1 741	No.1 671	No.1 1022	No.1 1187	No.1 1485
12.0	No.1 192	No.1 285				No.1 445	No.1 584	No.1 890	No.1 805	No.1 1227	No.1 1424	No.1 1782
14.0						No.1 519			No.1 939	No.1 1431	No.1 1661	No.1 2078
15.0						No.1 556			No.1 1006	No.1 1533	No.1 1780	No.1 2227
16.0						No.1 593	No.1 778		No.1 1073	No.1 1636	No.1 1899	No.1 2376
18.0						No.1 667			No.1 1207	No.1 1840	No.1 2136	No.1 2672
19.0						No.1 704			No.1 1274	No.1 1942	No.1 2255	No.1 2821
20.0						No.1 741			No.1 1341	No.1 2044	No.1 2374	No.1 2969
22.0						No.1 816			No.1 1476	No.1 2249	No.1 2611	No.1 3267
25.0						No.1 927			No.1 1677	No.1 2556	No.1 2967	No.1 3712
28.0						No.1 1038			No.1 1878	No.1 2862	No.1 3322	No.1 4156
30.0						No.1 1112			No.1 2012	No.1 3067	No.1 3560	No.1 4454
32.0						No.1 1186			No.1 2147	No.1 3272	No.1 3798	No.1 4752
35.0						No.1 1297			No.1 2348	No.1 3578	No.1 4154	No.1 5196
38.0						No.1 1408			No.1 2548	No.1 3884	No.1 4509	No.1 5641
40.0						No.1 1483			No.1 2683	No.1 4089	No.1 4747	No.1 5939
45.0						No.1 1668			No.1 3018	No.1 4491 ^{※1} 4374 ^{※2}		
50.0									No.1 3354	No.1 4989 ^{※3} 4190 ^{※4}		
55.0									No.1 3689	No.1 4424 ^{※5}		
60.0									No.1 4024	No.1 4118 ^{※6}		
65.0									No.1 4360			
70.0						No.1 2595			No.1 4695	No.1 7156		
75.0									No.1 5030	No.1 7667		
80.0									No.1 5366	No.1 8178		
85.0												
90.0										No.1 9200		
95.0												
100.0										No.1 9217 ^{※7}		

※1: 2050×6100mm ※2: 2100×5800mm ※3: 2050×6100mm ※4: 2100×5000mm
 ※5: 2100×4800mm ※6: 2000×4300mm ※7: 2100×5000mm

鋼板類

条鋼類

パイプ類・金網

参考資料

高合金・高機能材

チタン

SUS309S 板材 2B : JIS G 4305 NO.1 : JIS G 4304

単位: kg/枚

寸法 板厚 (mm)	1000×2000	1000×3048	1219×2438	1524×3048	1524×4000	1524×6096	2050×4100	2050×6100	2438×6100	3050×6100
1.0	2B 16.0									
1.2	2B 19.2	2B 29.2								
1.5	2B 23.9		2B 35.6	2B 55.6						
2.0	2B 31.9		2B 47.4							
3.0	2B No.1 47.9		2B No.1 71.1	No.1 111	No.1 146	No.1 222				
4.0	No.1 63.8		No.1 94.9	No.1 148	No.1 195	No.1 297	No.1 268	No.1 399		
5.0	No.1 79.8		No.1 119	No.1 185	No.1 243	No.1 371	No.1 335	No.1 499		
6.0	No.1 95.8		No.1 142	No.1 222	No.1 292	No.1 445	No.1 402	No.1 599	No.1 712	No.1 891
7.0						No.1 519				
8.0					No.1 389	No.1 593	No.1 537	No.1 798	No.1 949	No.1 1188
9.0	No.1 144			No.1 334	No.1 438	No.1 667	No.1 604	No.1 898	No.1 1068	No.1 1336
10.0	No.1 160			No.1 371		No.1 741	No.1 671	No.1 998	No.1 1187	No.1 1485
12.0	No.1 192			No.1 445		No.1 890	No.1 805	No.1 1197	No.1 1424	No.1 1782
15.0				No.1 556			No.1 1006	No.1 1497	No.1 1780	
16.0				No.1 593			No.1 1073	No.1 1597	No.1 1899	
18.0				No.1 667			No.1 1207	No.1 1796	No.1 2136	
19.0				No.1 704			No.1 1274	No.1 1896	No.1 2255	
20.0				No.1 741			No.1 1341	No.1 1996	No.1 2374	
22.0							No.1 1476			
25.0							No.1 1677			
28.0							No.1 1878			
30.0							No.1 2012			
35.0							No.1 2348			
40.0							No.1 2683			
50.0							No.1 3354			

SUS310S 板材 2B : JIS G 4305 NO.1 : JIS G 4304

単位: kg/枚

寸法 板厚 (mm)	1000×2000	1000×4000	1219×2438	1524×3048	1524×4000	1524×6096	2050×4100	2050×6100	2438×6100	3050×6100
0.5	2B 7.98									
0.6	2B 9.58									
0.8	2B 12.8									
1.0	2B 16.0		2B 23.7							
1.2	2B 19.2		2B 28.5							
1.5	2B 23.9		2B 35.6	2B 55.6						
2.0	2B 31.9	2B 63.8	2B 47.4	2B 74.1	2B 97.3					
3.0	2B No.1 47.9		2B No.1 71.1	2B No.1 111	2B No.1 146	No.1 222				
4.0	No.1 63.8		No.1 94.9	No.1 148	No.1 195	No.1 297	No.1 268	No.1 399	No.1 475	
5.0	No.1 79.8		No.1 119	No.1 185	No.1 243	No.1 371	No.1 335	No.1 499	No.1 593	
6.0	No.1 95.8		No.1 142	No.1 222	No.1 292	No.1 445	No.1 402	No.1 599	No.1 712	No.1 891
7.0						No.1 519				
8.0	No.1 128		No.1 190	No.1 297	No.1 389	No.1 593	No.1 537	No.1 798	No.1 949	No.1 1188
9.0	No.1 144		No.1 213	No.1 334	No.1 438	No.1 667	No.1 604	No.1 898	No.1 1068	No.1 1336
10.0	No.1 160		No.1 237	No.1 371	No.1 486	No.1 741	No.1 671	No.1 998	No.1 1187	No.1 1485
12.0	No.1 192		No.1 285	No.1 445	No.1 584	No.1 890	No.1 805	No.1 1197	No.1 1424	No.1 1782
14.0				No.1 519			No.1 939	No.1 1397	No.1 1661	
15.0				No.1 556			No.1 1006	No.1 1497	No.1 1780	
16.0	No.1 255			No.1 593	No.1 778		No.1 1073	No.1 1597	No.1 1899	
18.0				No.1 667			No.1 1207	No.1 1796	No.1 2136	
19.0				No.1 704			No.1 1274	No.1 1896	No.1 2255	
20.0				No.1 741			No.1 1341	No.1 1996	No.1 2374	
22.0				No.1 816			No.1 1476			
25.0				No.1 927			No.1 1677			
28.0				No.1 1038			No.1 1878			
30.0				No.1 1112			No.1 2012			
32.0				No.1 1186			2000 × 4000 2043			
35.0				No.1 1297			No.1 2348			
40.0				No.1 1483			No.1 2683			
45.0				No.1 1668			2000 × 4000 2873			
50.0				No.1 1853			No.1 3354			
55.0					No.1 2676					
60.0					No.1 2919					

鋼板類

条鋼類

パイプ類・金網

参考資料

高合金・高機能材

チタン

SUS430 板材 2B : JIS G 4305 NO.1 : JIS G 4304

単位 : kg/枚

寸法 板厚 (mm)	1000×2000		1219×2438		1219×3048		1219×4000		1524×3048		1524×4000		2000×4000	
0.3	2B	4.62												
0.4	2B	6.16												
0.5	2B	7.70	2B	11.4										
0.6	2B	9.24	2B	13.7										
0.7	2B	10.8												
0.8	2B	12.3	2B	18.3										
1.0	2B	15.4	2B	22.9										
1.2	2B	18.5	2B	27.5										
1.5	2B	23.1	2B	34.3										
2.0	2B	30.8	2B	45.8										
2.5	2B	38.5	2B	57.2										
3.0	2B	46.2	2B	68.7										
4.0	2B	No.1 61.6	No.1	91.5	No.1	114	No.1	150	No.1	143	No.1	188		
5.0		No.1 77.0	No.1	114	No.1	143	No.1	188	No.1	179	No.1	235		
6.0		No.1 92.4	No.1	137	No.1	172	No.1	225	No.1	215	No.1	282		
8.0									No.1	286	No.1	376	No.1	493
9.0									No.1	322	No.1	422	No.1	554
10.0									No.1	358			No.1	616
12.0									No.1	429	No.1	563	No.1	739
14.0									No.1	501			No.1	862
16.0									No.1	572			No.1	986
18.0									No.1	644			No.1	1109
19.0									No.1	680			No.1	1170
20.0									No.1	715			No.1	1232
22.0									No.1	787			No.1	1355
25.0									No.1	894			No.1	1540
30.0									No.1	1073			No.1	1848
35.0									No.1	1252			No.1	2156
40.0									No.1	1431			No.1	2464
45.0													No.1	2772
50.0													No.1	3080

鋼板類

条鋼類

パイプ類・金網

参考資料

高合金・高機能材

チタン

SUS303 板材 NO.1 : JIS G 4304

単位: kg/枚

板厚 (mm)	寸法 (mm)	1219×2438	1219×4000
3.0			No.1 116
4.0		No.1 94.3	No.1 155
5.0		No.1 118	No.1 193
6.0		No.1 141	No.1 232
8.0		No.1 189	No.1 309
9.0		No.1 212	No.1 348
10.0		No.1 236	No.1 387
12.0		No.1 283	No.1 464
14.0		No.1 330	No.1 541
15.0		No.1 354	No.1 580
16.0		No.1 377	No.1 619
18.0		No.1 424	No.1 696
19.0		No.1 448	No.1 735
20.0		No.1 471	No.1 773
22.0		No.1 519	No.1 851
25.0		No.1 589	No.1 966
28.0		No.1 660	No.1 1082
30.0		No.1 707	No.1 1160
32.0		No.1 754	No.1 1238
35.0		No.1 825	No.1 1354
38.0			No.1 1469
40.0		No.1 943	No.1 1547
45.0		No.1 1060	No.1 1740
50.0		No.1 1178	No.1 1933
55.0		No.1 1296	No.1 2127
60.0		No.1 1414	No.1 2320
65.0		No.1 1532	No.1 2513
70.0		No.1 1650	No.1 2707
75.0		No.1 1768	No.1 2900
80.0		No.1 1885	No.1 3093
85.0			No.1 3286
90.0			No.1 3480
95.0			No.1 3674
100.0			No.1 3867

SUS630 板材 NO.1

単位: kg/枚

板厚 (mm)	寸法 (mm)	1219×2438
6.0		No.1 139
8.0		No.1 185
10.0		No.1 232
12.0		No.1 278
15.0		No.1 348
18.0		No.1 417
20.0		No.1 464
22.0		No.1 510
25.0		No.1 580
28.0		No.1 649
30.0		No.1 695
35.0		No.1 811
40.0		No.1 927
45.0		No.1 1043
50.0		No.1 1159
55.0		No.1 1275

SUS440C 板材

単位: mm

板厚 (mm)	寸法 (mm)	板 幅
1.3		600
1.6		600
1.8		600
2.3		600
3.3		500 ~ 600
4.0		500 ~ 600
6.0		500 ~ 600
8.0		400 ~ 600
10.0		400 ~ 600
13.0		400 ~ 600
15.0		400
16.0		500 ~ 600
18.0		500
20.0		500 ~ 600
23.0		500 ~ 600
25.0		500
26.0		500 ~ 600
28.0		500
30.0		500
32.0		500 ~ 600
33.0		500
37.0		500 ~ 600
38.0		500
40.0		500
42.0		500 ~ 600
43.0		500
47.0		500 ~ 600
48.0		500
50.0		500
52.0		500 ~ 600
53.0		500
62.0		500 ~ 600
63.0		500
73.0		500
83.0		500
93.0		500

※長さは都度変わりますので、お問い合わせ下さい。

SUS420J2 板材 NO.1

単位: mm

板厚 (mm)	寸法 (mm)	板 幅
3.0		No.1 400
4.0		No.1 400
5.0		No.1 400
6.0		No.1 400
10.0		No.1 305 ~ 400
13.0		No.1 305 ~ 400
16.0		No.1 305 ~ 400
19.0		No.1 305 ~ 400
20.0		No.1 400
22.0		No.1 305 ~ 400
23.0		No.1 400
26.0		No.1 400
27.0		No.1 305 ~ 400
32.0		No.1 305 ~ 400
38.0		No.1 305 ~ 400
42.0		No.1 400
43.0		No.1 305 ~ 400
48.0		No.1 400
52.0		No.1 400
53.0		No.1 305 ~ 400
55.0		No.1 400
58.0		No.1 400
62.0		No.1 400
68.0		No.1 400
75.0		No.1 400

※長さは都度変わりますので、お問い合わせ下さい。

鋼板類

条鋼類

パイプ類・金網

参考資料

高合金・高機能材

チタン

SUS443J1 板材 2B

単位: kg/枚

寸法 板厚 (mm)	1000×2000	1219×2438	1219×3048	1524×3048
0.5		2B 11.5		
0.6		2B 13.8		
0.7	2B 10.8			
0.8	2B 12.4	2B 18.4		
1.0	2B 15.5	2B 23.0		
1.2	2B 18.6	2B 27.6		
1.5	2B 23.2	2B 34.5	2B 43.2	2B 54.0
2.0	2B 31.0	2B 46.1	2B 57.6	2B 72.0
2.5	2B 38.8	2B 57.6		
3.0	2B 46.5	2B 69.1	2B 86.4	

SUS329J4L 板材 2B/No.1

単位: kg/枚

寸法 板厚 (mm)	1000×2000	1219×2438	1524×3048	1524×4050	2050×4100	2100×6000	2438×6100
1.0	2B 15.6						
1.2							
1.5	2B 23.3	2B 34.7					
2.0	2B 31.1	2B 46.2					
3.0	※ 46.7	※ 69.4	※ 108	※ 144			
4.0		※ 92.5	※ 145	※ 192			
5.0		No.1 116	No.1 181				
6.0		No.1 139	No.1 217				No.1 694
8.0							No.1 926
9.0							No.1 1041
10.0							No.1 1157
12.0							No.1 1388
15.0							
16.0							No.1 1852
18.0							
19.0							
20.0							No.1 2314
22.0							
25.0						No.1 2451	
30.0						No.1 2941	
35.0							
40.0						No.1 2614 ^{※1}	
45.0							
50.0							
60.0					No.1 3923		

※ ショットブラスト仕上。

※1 2100×4000

SUS444 板材 2B/No.1

単位: kg/枚

寸法 板厚 (mm)	1219×4500	2000×6100	2438×6100
3.0	2B 128		
4.0		No.1 378	
5.0		No.1 473	
6.0			No.1 692
8.0			No.1 922
9.0			No.1 1037
10.0			No.1 1153
12.0			No.1 1383

バネ材 シート在庫表

鋼種-硬度 板厚 (mm)	304-H(SR)	304-3/4H	304-1/2H	301-EH-SHE	301-H	301-3/4H	301-1/2H
0.020	○						
0.030	○						
0.040	○						
0.050	○						
0.060	○						
0.070	○						
0.080	○						
0.090	○						
0.100	○	○	○		○	○	○
0.120	○						
0.150	○	○	○		○	○	○
0.180	○						
0.200	○	○	○		○	○	○
0.250	○	○	○		○	○	○
0.300	○	○	○	○	○	○	○
0.350	○	○	○		○	○	
0.400	○	○	○		○	○	○
0.450	○						
0.500	○	○	○	○	○	○	○
0.600	○	○	○		○	○	○
0.700	○	○	○		○	○	
0.800	○	○	○		○	○	○
0.900	○					○	
1.000	○	○	○		○	○	○
1.200	○	○	○		○	○	○
1.500	○	○	○			○	○
2.000	○	○	○			○	
2.500			○				

バネ材 コイル在庫表

鋼種-硬度 板厚 (mm)	304-H(SR)	304-3/4H	304-1/2H	301-EH	301-H	301-3/4H	301-1/2H
0.010	○						
0.020	○						
0.030	○						
0.040	○						
0.050	○			○			
0.060	○						
0.070	○						
0.080	○			○			
0.090	○			○			
0.100	○	○	○	○	○	○	
0.120	○						
0.150	○	○	○	○	○	○	○
0.180	○						
0.200	○	○	○	○	○	○	
0.250	○	○	○	○	○	○	
0.300	○	○	○	○	○	○	○
0.350	○						
0.400	○	○	○	○	○	○	
0.500	○	○	○	○	○	○	
0.600	○	○	○		○	○	○
0.700	○	○	○		○	○	
0.800	○	○	○		○	○	○
0.900	○	○					
1.000	○	○	○		○	○	○
1.200	○		○			○	○

注) ※定尺幅により、最小ロット10mになりますので別途お問い合わせ下さい。